

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

*E4*  
Claims 1-21 (canceled)

Claim 22 (currently amended): An isolated polypeptide having at least 80% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is overexpressed in lung and colon tumors.

Claim 23 (currently amended): The isolated polypeptide of claim 22 having at least 85% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or

*C&M*  
*EY*

(e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is overexpressed in lung and colon tumors.

Claim 24 (currently amended): The isolated polypeptide of claim 22 having at least 90% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is overexpressed in lung and colon tumors.

Claim 25 (currently amended): The isolated polypeptide of claim 22 having at least 95% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is overexpressed in lung and colon tumors.

*Cont*  
*Ex*  
Claim 26 (currently amended): The isolated polypeptide of claim 22 having at least 99% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is overexpressed in lung and colon tumors.

Claim 27 (previously added): An isolated polypeptide comprising:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532.

Claim 28 (previously added): The isolated polypeptide of Claim 27 comprising the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50).

*Cox*  
*EY*

Claim 29 (previously added): The isolated polypeptide of Claim 27 comprising the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide.

Claim 30 (previously added): The isolated polypeptide of Claim 27 comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50).

Claim 31 (previously added): The isolated polypeptide of Claim 27 comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide.

Claim 32 (previously added): The isolated polypeptide of Claim 29 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532.

Claim 33 (previously added): A chimeric polypeptide comprising a polypeptide according to Claim 22 fused to a heterologous polypeptide.

Claim 34 (previously added): The chimeric polypeptide of Claim 33, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.